

**P**refinished wood flooring made up nearly 60 percent of distributor sales of hardwood flooring in 2016, according to WFB's State of the Industry survey. Here's an overview of the prefinished products available today from manufacturers across the country. (Note that each company was limited to one product line.)

**PREFINISHED  
WOOD  
FLOORING**  
**PF**  
PRODUCT FOCUS



Acer Flooring




American Heart Pine



Anderson Hardwood



Anthology Woods



BR Custom Surface



Cali Bamboo



Carlisle Wide Plank Floors



Distinctive Hardwood Floors



DuChateau



Essex Coatings

## PREFINISHED

	Solid	Engineered	Parquet	Acrylic Impregnated	Nailed	Glued	Stapled	Floated	Thickness (inches)	Widths (inches)	Square-Edged	Beveled
<b>Aacer Flooring</b>												
National Treasures Collection		■			■	■	■	■	1/2	3 1/4-7		
<b>American Heart Pine</b>												
Presidential Series	■	■			■	■	■	■	5/8, 3/4	5-7	■	
<b>Anderson Hardwood</b>												
Trilogy		■			■	■	■	■	1/2	5		■
<b>Anthology Woods</b>												
FSC Reclaimed Wood	■	■			■	■	■	■	9/16, 5/8, 3/4	3-6	■	
<b>BR Custom Surface</b>												
Custom Surface - Rapid Loc		■				■	■	■	3/8, 7/16	5, 6 1/2		
<b>Cali Bamboo</b>												
Fossilized Eucalyptus Flooring	■				■	■	■	■	9/16	5 1/8, 5 1/4		
<b>Carlisle Wide Plank Floors</b>												
Urban	■	■			■	■	■	■	3/4	8		
<b>Distinctive Hardwood Floors</b>												
Chateau	■	■			■	■	■	■	1/2, 5/8, 3/4, 1 1/4	Custom		
<b>DuChateau</b>												
DuChateau Riverstone		■			■	■	■	■	5/8	7 1/2		
<b>Essex Coatings</b>												
Prime Grade Euro Prefinished Dove Grey		■				■	■	■	3/4	7		
<b>Fuzion Flooring</b>												
Outer Banks - Pinctada		■			■	■	■	■	9/16, 3/4	5 7/8		
<b>The Garrison Collection</b>												
Lyon		■			■	■	■	■	5/8	7		

SEE OUR AD ON PAGES 38-39

Microbeveled/Eased-Edge	Urethane	Acrylic	UV-Cured	Wax	Aluminum Oxide	Oil	Number of Piles	Wear Layer (mm)	FSC-Certified
■					■		7	2, 3	■
■	■		■			■	3	3-4	
					■		5	1.8	
■	■		■			■	7+	4	■
■			■		■		3	2	■
■			■		■		N/A	N/A	■
■			■				7	4.76	
■			■		■		3	4.5-6	
■			■		■		9	4	■
■			■				2	6	■
■			■		■		10	4	■
■			■		■		9	4	



Fuzion Flooring



The Garrison Collection



Global Market Partners Inc.



Goodwin Company



Graf Brothers





Greenfield-Elite



Hardwoods of Wisconsin



Haro Quality Floors



Harris Wood Floors/Q.E.P. Co. Inc.



Heppner Hardwoods Inc.




HF Design LLC

## PREFINISHED

	Solid	Engineered	Parquet	Acrylic Impregnated	Nailed	Glued	Stapled	Floated	Thickness (inches)	Widths (inches)	Square-Edged	Beveled
<b>Global Market Partners Inc.</b>												
Weitzer Parkett		■				■	■		5/8	7 3/4		■
<b>Goodwin Company</b>												
Signature River-Recovered Heart Pine	■	■			■	■			5/8, 3/4	2 1/2-9	■	
<b>Graf Brothers</b>												
Platinum Collection	■	■			■	■	■	■	3/4, 5/8	1/4-11 1/2	■	■
<b>Greenfield-Elite</b>												
Valhalla		■			■	■	■	■	1/2	7 1/2		
<b>Hardwoods of Wisconsin</b>												
Antique Oak	■	■	■		■	■	■		3/4	3-10		
<b>Haro Quality Floors</b>												
Strip Allegro		■				■			3/8	2 3/4	■	
<b>Harris Wood Floors/Q.E.P. Co. Inc.</b>												
Wynwood Commercial		■			■	■	■	■	1/2	5		
<b>Heppner Hardwoods Inc.</b>												
Whip Sawn HH-206 Walnut	■	■			■	■			1/2-7/8	7-10		■
<b>HF Design LLC</b>												
American Relics		■				■	■	■	1/2	6 1/2		■
<b>HomerWood Premium Hardwood Flooring</b>												
Traditional Character	■	■			■	■	■	■	E: 5/8 S: 3/4	E: 4-8 S: 3-8		
<b>Infinity Wood Floors</b>												
Great Lakes Collection	■				■	■	■	■	3/4	1 1/2-8	■	■
<b>IPA Tropical Floors Inc.</b>												
Mayan Collection	■	■			■	■			5/8-3/4	3 1/4-5	■	■

Microbeveled/ Eased-Edge	Urethane	Acrylic	UV-Cured	Wax	Aluminum Oxide	Oil	Number of Piles	Wear Layer (mm)	FSC-Certified
			■				3	3.6	■
■			■			■	9	4	
■			■	■			9, 11	4, 5, 6	
■	■		■		■		9	2	
■			■				9	4	
	■		■			■	2	3.5	■
■			■		■		5	2.5	
	■						11	6	■
■	■		■				7	2	■
■	■		■		■	■	9	4.5	
■			■		■		N/A	N/A	
■			■	■	■	■	7	3	



HomerWood Premium Hardwood Flooring



Infinity Wood Floors



IPA Tropical Floors Inc.



Kährs



LM Flooring





Luxe Premium Floors LLC



Maine Traditions



Majestic North Floors Inc.



Mercier Wood Flooring



Mirage Floors




National Hardwood Flooring & Moulding

## PREFINISHED

	Solid	Engineered	Parquet	Acrylic Impregnated	Nailed	Glued	Stapled	Floated	Thickness (inches)	Widths (inches)	Square-Edged	Beveled
<b>Kährs</b>												
Harmony		■			■	■	■	■	5/8	7 7/8	■	
<b>LM Flooring</b>												
Nature Reserve		■			■	■	■	■	1/2	7 1/4		■
<b>Luxe Premium Floors LLC</b>												
Palacio		■				■	■	■	9/16	9 1/2		■
<b>Maine Traditions</b>												
	■	■			■	■	■		1/2, 3/4	2 1/4-5	■	■
<b>Majestic North Floors Inc.</b>												
Smoked Oak Flooring		■				■			5/8	7, 10		
<b>Mercier Wood Flooring</b>												
	■	■			■	■	■	■	1/2, 3/4	2 1/4-7 1/4		
<b>Mirage Floors</b>												
Flair Collection		■				■	■		1/2	5, 6 1/2		
<b>National Hardwood Flooring &amp; Moulding</b>												
French Galerie		■			■	■	■	■	5/8	7 1/2		■
<b>Naturally Aged Flooring</b>												
Premier Collection		■			■	■	■	■	5/8	9 1/2		
<b>Nikzad Floors</b>												
Calais Collection	■	■			■	■	■	■	3/4	7 1/2, 9 1/2, 12	■	
<b>Oshkosh Designs</b>												
Urban Collection			■		■	■	■	■	3/4, 5/8, 1/2	24	■	
<b>Outback Flooring USA</b>												
First Floors		■			■	■	■	■	5/8, 3/4	5 1/4, 7		

SEE OUR AD ON PAGE 66

Microbeveled/Eased-Edge	Urethane	Acrylic	UV-Cured	Wax	Aluminum Oxide	Oil	Number of Piles	Wear Layer (mm)	FSC-Certified
			■				3	3.5	
					■		9	1.5	
			■			■	8	4	
	■		■		■		7	3	■
■						■	3	4	
■	■		■			■	7	4	■
■					■		7	4	■
			■			■	2	4	■
■			■				9	3	
			■			■	11	6	
						■	9	8	
■						■	2	4	



Naturally Aged Flooring



Nikzad Floors



Oshkosh Designs



Outback Flooring USA



Owens Flooring by Quanex Building Products





Peachy Hardwood Flooring



PG Hardwood Flooring Inc.



Pollmeier Leimholz GmbH



Premiere Finishing & Coating



Prime Supply Flooring



Regal Hardwoods

## PREFINISHED

	Solid	Engineered	Parquet	Acrylic Impregnated	Nailed	Glued	Stapled	Floated	Thickness (inches)	Widths (inches)	Square-Edged	Beveled
<b>Owens Flooring by Quanex Building Products</b>												
Artisan Home Collection		■			■	■	■	■	5/8	3-8		
<b>Peachy Hardwood Flooring</b>												
Appalachian Plank	■	■			■	■	■	■	1/2, 5/8, 3/4	2 1/4-16	■	■
<b>PG Hardwood Flooring Inc.</b>												
Perfection	■	■			■	■	■	■	3/4	5 1/4		
<b>Pollmeier Leimholz GmbH</b>												
BauBuche Flooring	■				■	■	■		.55, 3/4	4.4, 6	■	
<b>Premiere Finishing &amp; Coating</b>												
Prefinished Walnut Series	■				■				3/4	5		■
<b>Prime Supply Flooring</b>												
Biltmore Series		■			■	■	■	■	1/2	7 1/2		
<b>Regal Hardwoods</b>												
Curator		■			■	■	■	■	3/8	7		
<b>Rehmer Precision Millwork</b>												
Center Cut White Oak	■	■				■	■		3/4	9		
<b>Ribadao Lumber &amp; Flooring</b>												
Rio Collection		■			■	■	■	■	5/8, 3/4	8 1/2, 10		■
<b>Robinson Lumber Company</b>												
Prefinished Caribbean Heart Pine	■				■				3/4	5	■	
<b>Saroyan Hardwoods</b>												
Zenon	■	■	■		■	■	■	■	5/8, 3/4	5 1/4-12	■	■
<b>Satin Flooring</b>												
		■				■	■	■	3/4	5		

Microbeveled/Eased-Edge	Urethane	Acrylic	UV-Cured	Wax	Aluminum Oxide	Oil	Number of Piles	Wear Layer (mm)	FSC-Certified
■	■						9	4.5	
■	■			■			7, 9, 11	4, 6	
■							8	4	■
■		■	■		■	■	N/A	N/A	
			■		■		N/A	N/A	■
■	■		■		■		8	2	
■	■				■		7	2	■
■					■		12	4.7625	
■									
■			■		■		N/A	N/A	
■			■	■	■	■	12	3.5, 5.5	■
■	■		■				2	4	



Rehmer Precision Millwork



Ribadao Lumber & Flooring



Robinson Lumber Company



Saroyan Hardwoods



Satin Flooring



Shaw Floors





Signature Innovations LLC



Somerset Hardwood Flooring



Southern Wood Floors



SouthFloor




Surface Architectural Supply

## PREFINISHED

	Solid	Engineered	Parquet	Acrylic Impregnated	Nailed	Glued	Stapled	Floated	Thickness (inches)	Widths (inches)	Square-Edged	Beveled
<b>Shaw Floors</b>												
EPIC Plus Extreme Nature		■			■	■	■	■	½	9¼		
<b>Signature Innovations LLC</b>												
Signature Hardwoods	■	■		■	■	■	■	■	¾	6-9½		■
<b>Somerset Hardwood Flooring</b>												
Specialty Collection Random Width Oak	■	■			■	■	■	■	S: ¾ E: ½	S: 2¼-4 E: 3¼-7		
<b>Southern Wood Floors</b>												
Reclaimed Antique Heart Pine	■	■			■	■	■	■	½, ¾	5, 6, 7		■
<b>SouthFloor</b>												
	■	■			■	■	■	■	½, ¾	5, 6, 7		■
<b>Surface Architectural Supply</b>												
Reclaimed Barn Oak	■				■				¾	3-10		■
<b>Triangulo</b>												
St. Augustine		■			■	■	■	■	½	9¼		■
<b>Triton International Woods</b>												
	■	■		■	■	■	■	■	½-2	2-15		■
<b>Uniboard Canada Inc.</b>												
Kalista Engineered Flooring		■						■	¾, 13/32	47/16, 7¾		■
<b>WD Flooring</b>												
Tsiu River	■	■	■		■	■	■	■	5/8, ¾	1½-20		■
<b>WrennWood</b>												
Caribbean Heart Pine Flooring	■				■				¾	5½		
<b>Yantarnaya Pryad-Parquet</b>												
	■				■	■			15, 20 mm	70-150 mm		■

Microbeveled/Eased-Edge	Urethane	Acrylic	UV-Cured	Wax	Aluminum Oxide	Oil	Number of Piles	Wear Layer (mm)	FSC-Certified
■					■		3	1.2	
						■	12	6	■
■	■		■		■		8	3	
■			■	■			3	3, 4	
■	■		■	■			3	3, 4	
■			■				N/A	N/A	
■	■		■		■		5	2	■
■			■			■	2-7	4.5	
	■						3	.6, 1.2	■
■					■		3	4	■
■					■		N/A	N/A	
■		■			■		N/A	N/A	



Triangulo




Triton International Woods



Uniboard Canada Inc.



WD Flooring



WrennWood



Yantarnaya Pryad-Parquet