

ADHESIVES



Advanced Adhesive Technologies LLC

AAT-560 Professional Urethane Wood Flooring Adhesive contains no isocyanates, a chemical that can etch floor finishes, the company says. When used with the company's #12 clip-on blade, 560 provides unlimited moisture protection, the company adds. AAT-560 is EC-1 certified and qualifies for LEED credits.
aatglue.com

Ambient Bamboo Products Inc.

Bilder's Ultimate adhesive features a vapor lock for going over concrete slabs and has a low odor, the company says. It does not contain water and is designed for installing bamboo, wood and engineered floors.
ambientbp.com



Bostik

Wood-Tack is a high-technology adhesive designed for the fast installation of wood flooring materials including engineered, solid and select bamboo of any width or length, the company says. It offers rapid tacking properties and excellent trowel-ability, the company adds. Wood-Tack has a low odor and low-VOC formulation, is FloorScore Certified and may contribute toward LEED credits.
bostik.com/us



SEE OUR
AD ON
PAGES
9, 37



Bona US

Bona R851 is a new generation, one-component, silane-based wood flooring adhesive that provides exceptional green grab strength, the company says. Its elastomeric characteristics allow the adhesive to move with the wood as it expands and contracts over the life of the floor. Each pail comes with two Bona Moisture Barrier Plus Clip-on Trowels.
bona.com/en-US/Bona-Professional/

Cal-Flor Accessory Systems

Cal-Flor's Eurobond D3 Glue for floating floors is FloorScore-certified. It uses an American-made, high-strength, cross-linking formula that provides flexibility and a stronger, longer-lasting bond, the company says, adding that it exceeds European D3 and US Type II standards. It is effective against water damage and is specially formulated for click and tongue-and-groove floors.
cal-flor.com



DriTac Flooring Products LLC

DriTac 7200 Crush is a four-in-one, premium "green" moisture control MS polymer wood flooring adhesive that isolates old cutback adhesive residue and provides crack suppression capabilities. It offers unlimited subfloor moisture control with no testing required when used to install engineered plank hardwood flooring, and it is easy to clean off wood surfaces, the company says.
dritac.com



Epic Flooring

Epic Flooring has developed two low-VOC polyurethane adhesives for solid plank, bamboo and engineered flooring. Tradesman Pro is a solvent-free adhesive with high elasticity for easy spreading and excellent green-grab, the company says, while E-600 is an all-in-one adhesive and moisture retarder capable of adhesion to concrete substrates with up to 90% RH.
epicflooringadhesives.com



The Garrison Collection

The Garrison Collection's Infinity Green is an easy-to-clean, five-in-one hybrid polymer wood flooring adhesive and sealer system. This innovative, VOC- and solvent-free adhesive provides installers with unlimited moisture control, a lifetime moisture warranty, sound reduction (rated 74 for IIC and 67 for STC), crack suppression and the ability to isolate old cutback adhesive, the company says.

thegarrisoncollection.com

MAPEI

Ultrabond ECO 977 is a fast-setting, 100-percent-solids, one-component, moisture-cured urethane adhesive specifically designed for the installation of domestic solid and engineered wood flooring. It can be used in elevated subfloor moisture conditions of up to 12 lbs. MVER and 95% RH when a specific installation method and trowel notch configurations are used, the company says.

mapei.com



National Hardwood Flooring & Moulding

Castle Adhesive CX-5000 is a hybrid urethane moisture curing wood flooring adhesive with low VOC and low odor. The one-component product's elasticity elongates to cover small cracks and produces cushioned quiet floors with superior acoustic properties, the company says.

nationalhardwood.com



Pallmann

Pallmann P5 is a solvent- and water-free, flexible one-component, moisture-cured STP (silane terminated prepolymer) hybrid adhesive that combines the powerful flexibility of a polyurethane adhesive with the advantages of modern modified-silane technology, the company says.

pallmann.us

Roberts Consolidated Inc.

Roberts' 1660 Lockdown with Moisture Control is a pressure-sensitive wood flooring adhesive formulated to reduce hollow spots. It cures with a persistent and permanent bond, allowing it to continuously "lock down" the flooring, the company says.

robertsconsolidated.com



Sika Corporation

SikaBond-T21 is an all-in-one wood flooring urethane adhesive, moisture vapor and sound-reduction membrane. It does not require pre-job calcium chloride or RH testing; the only requirement is visibly dry and clean concrete. It may be used for solid and engineered wood floors, chip boards and plywood.

usa.sika.com



SEE OUR
AD ON
PAGES
5, 69

Stauf USA LLC

Stauf PUK 455 is a special-formulation, single-component adhesive for wide-plank flooring. PUK 455 has a shear strength of over 680 psi, meaning it is able to stabilize and control common cupping problems associated with wide-width solid flooring, the company says.

staufusa.com



SEE OUR
AD ON
PAGES
17, 71

Titebond

Titebond's new packaging simplifies the adhesive handling process for flooring installers, the company says. The 3/4-gallon foil pouch is easy to open and handle. It also reduces mess and waste, speeds up installation and extends adhesive shelf life, the company adds. The packaging is available with Titebond 811 Advantage and Titebond 771-Step. titebond.com



Vermeister SpA

Zeromono is a one-component, silane-terminated high-performance adhesive that contains no water, solvents, isocyanates, epoxy, amino compounds or heavy metals and does not bear any health or risk warnings or symbols, the company says. It offers excellent adhesion on all subfloors, as well as a permanent elasticity, the company adds, making it ideal for laying prefinished engineered wood flooring and traditional solid wood floors of average sizes on any type of subfloor. vermeister.com



APPLICATORS

SEE OUR
AD ON
PAGES
9, 37

Bona US

The Bona Microfiber Roller is designed for easy, uniform application of waterborne finishes. Both the roller cover and the roller handle can be purchased separately. bona.com/en-US/Bona-Professional/



SEE OUR
AD ON
PAGES
7, 39

Norton Abrasives

Norton Abrasives' floor finish applicators were created with the professional contractor in mind; the company offers four options. The applicators are designed to quickly and easily apply floor finish or sealer and provide superior results, the company says. nortonsga.us/applicatorswfb



SEE OUR
AD ON
PAGES
3, 47

Woodwise/ Design Hardwood Products

The Woodwise Nap Saver suspends an applicator pad inside a polycarbonate housing so the nap doesn't get crushed. Since the nap never touches the sides, it keeps the applicator pads like new so they can be used again and again without compromising quality, Woodwise says. woodwise.com



Padco

Padco finish applicators are for applying waterborne, solvent-modified and UV coatings. Cover materials include Nylfoam, NanoFlock and Woven. The lightweight and heavyweight T-bar applicators are available 12-30 inches wide. Trays, trim pads and extension poles are also available. padco.com

SEE OUR
AD ON
PAGES
9, 37



Bona US

Bona Pacific Filler is a ready-to-use, trowelable, waterborne wood floor filler designed for filling cracks, holes, chips, gouges and broken edges prior to finishing. It allows for better species color-matching and creating custom colors. It is available in six wood tones: Red Oak, White Oak, Ash-Maple-Pine, Brazilian Cherry, American Cherry, Walnut.

bona.com/en-US/Bona-Professional/

DuraSeal

DuraSeal Trowelable Wood Filler is a safe, non-flammable, water-based product for use across an entire wood floor. This product fills nail holes and covers other minor imperfections in bare and unfinished wood. It has a fast dry time, blends and adheres well to wood, sands easily and absorbs stain similarly to wood, the company says.

duraseal.com



Glitsa

Glitsa Wood Flour Cement provides an exact match between the filler and the flooring, the company says. It uses actual sanding dust from the same species of wood as the floor and will take on the color of the sanding dust used. Wood Flour Cement accepts stain and ages consistently with the flooring since the actual sanding dust is used.

glitsa.com

SEE OUR
AD ON
PAGE 23



Loba-Wakol LLC

Loba EasyFillPro Waterborne Filler provides maximum filling power with one application. Its easy-to-use system, quick dry time and excellent sandability combine for the best results, the company says.

loba-wakol.com



Pallmann

Pall-X Kitt is a water-based joint filler compound that is mixed with sanding dust and used for joint- and trowel-filling of wood floors. It is suitable for strip, plank and parquet flooring for all species where color matching is important and where filler stability and adhesion are vital, Pallmann says. Pall-X Kitt's viscous, paste-like mixture is rated for radiant heat floor systems.

pallmann.com

Pretec USA LLC

Precision Full Trowel & Wood Patch is formulated to dry quickly, accept stain and can be sanded within 30 to 60 minutes of application, the company says. It is available in red oak, white oak, maple, Brazilian cherry and ebony and comes in 1- and 3½-gallon sizes.

pretecusa.com



Timbermate Group

Timbermate is an interior-grade, water-based wood filler. It contains no toxins or VOCs. It has an indefinite shelf life, and can be reconstituted with water if it dries out. It comes in 13 premixed colors plus Natural Tint Base. It is sold in 8-ounce, quart, gallon and 2.5-gallon sizes.

timbermategroup.com



SEE OUR
AD ON
PAGES
3, 47



Woodwise/Design Hardwood Products

Woodwise/Design Hardwood Products says it is continuing its research and development efforts to keep up with the wood flooring industry, and its wood fillers have been formulated to meet the demands of wood flooring experts. Its line of wood fillers includes: Woodwise Full-Trowel Filler, Wood Patch, No Shrink Patch-Quick, Powdered Wood Filler, Pre-Finish Filler and Epoxy Wood Patch.

woodwise.com

Vermeister SpA

Zero Filler is a solvent-free waterborne binder for preparing fillers to seal wood floors. It features low VOC emissions, both when the product is applied and when the floor is in use. When mixed with wood flour generated by sanding with a fine-grain sandpaper, Zero Filler creates a filler that matches the floor color.

vermeister.com



FINISHES

SEE OUR
AD ON
PAGE 15



Absolute Coatings Group

Easy 2K's two-component, 100 percent urethane formulation delivers fortified durability, while the No Lap technology makes it easy to apply, resulting in a clear, even finish, the company says. Grand Build delivers high solids in fewer coats for extra wear-protection. This unique technology is easy to apply and brings out the beauty in hardwood floors with low odor and an easy soap-and-water cleanup, the company adds.

absolutecoatings.com

Advantage Coatings Tech

Top Knot waterborne finish is a durable, scratch-resistant two-component wood floor coating, the company says. It is designed for commercial applications, new construction and high-traffic residential projects and dries quickly, the company adds.

advantagecoatingstech.com



American Sanders

TimberGuard Select is a single-component, water-based urethane/acrylic blend wood floor coating designed for residential and light commercial applications. The formula is highly durable with excellent flow characteristics, and provides slip- and scuff-resistance, the company says. It is available in matte, satin, and semi-gloss.

americansanders.com



ATOM Ventures LLC

Gork's GoodFilla Stain and Paint Base gel has an unlimited open time and limits lap marks. It accepts any water-soluble pigments or dyes to create custom colors, adheres to most surfaces and can be applied between coats of finish. goodfilla.com

Basic Coatings

Basic Coatings StreetShoe NXT is a two-component, water-based finish that features nano technology for durability, UV inhibitors to minimize sun-related color change and a high-build formulation. StreetShoe NXT comes in gloss, semi-gloss, super matte and satin sheens. basiccoatings.com



SEE OUR
AD ON
PAGES
9, 37

Bona US

Bona Mega ONE is the newest finish in the Bona Waterborne Finish family. It is a durable, one-component, crystal-clear finish with high build, the company says, adding that it has excellent abrasability, is Greenguard-certified, and is fully cured in five days. bona.com/en-US/Bona-Professional/



Orion® Pinless Wood Moisture Meters. 10 Times Faster Than Pin Meters.
FAST. DURABLE. ACCURATE.



888-990-0174 | WagnerMeters.com

Ciranova North America

Hardwaxoil Titan is an innovative, fast-drying oil suitable for finishing wood floors, the company says. Featuring high chemical and mechanical protection, the oil provides an exceptional natural-looking and scratch-resistant finish, the company adds.
ciranova-na.com



DuraSeal

DuraClear Max is a durable two-component, non-ambering water-based finish. It is formulated for use in commercial and high-traffic areas, with exceptional flow and leveling, the company says. DuraClear Max is Greenguard-certified and available in flat, satin, semi-gloss and gloss.
duraseal.com

Glitsa

Glitsa's Elite 1k Finish is a clear, single-component, easy-to-use finish that can be used as seal and topcoat. It is 100% urethane and has superior durability to foot traffic and spills. It is available in gloss, semi-gloss, satin and matte sheens.
glitsa.com



SEE OUR
AD ON
PAGE 15



Harco Clear Coatings— Absolute Coatings Group

Radiance OMW features water-based and oil technology to create a product with the convenience of waterborne and the rich, traditional look of oil, the company says. Radiance OMW is a self-leveling, fast-drying, one-component system available in all sheens, including matte, and is VOC-compliant in all regions.
harcoatings.com

SEE OUR
AD ON
PAGE 15



Garco Clear Finishes— Absolute Coatings Group

Garco Clear Finishes' Classic World polyurethanes have been in the marketplace since 1923 and are made from the finest resins available today, the company says, adding that they have excellent scuff-, chemical- and abrasion-resistance and are available in super-high-gloss, semi-gloss and satin sheens.
garco.us

Lenmar

Lenmar's oil-modified, self-leveling polyurethane is recommended for commercial, residential and gymnasium applications. The product features excellent durability and resistance to household chemicals, marring and scratching, the company says.
lenmar-coatings.com



SEE OUR
AD ON
PAGE 23

Loba-Wakol LLC

Loba WS EasyFinish is a one-component, waterborne finish based on polyurethane-acrylate with excellent wear resistance and exceptional flow properties, the company says. It is recommended for light commercial and high-traffic domestic areas. It is suitable for wood and cork floors and is available in satin, semi-gloss and gloss.

loba-wakol.com



Osmo USA

Osmo says its Osmo Polyx-Oil Original is the original hardwax oil and enhances the wood color and grain. Its oils protect the wood from the inside while its waxes form a wear-resistant surface. The finish will not crack, peel or flake, and it has improved brushability and is easy to apply, the company adds. No primer or sanding is required, and spot repairs are possible. It is available in satin and matte.

osmocolorusa.com

Pallmann

Pallmann Pall-X Power is a clear waterborne finish for commercial or residential applications. Advances in resin and polymer chemistry have been designed into the finish to give it the power of a two-component finish with the ease of use of a single-component product, the company says.

pallmann.us

SEE OUR
AD ON
PAGE 15

Petri Clear Coatings— Absolute Coatings Group

Petri Parlay is an oil-modified polyurethane wood floor finish. Parlay provides excellent scratch-resistance, flow and leveling properties, as well as a crystal-clear color, the company says. The product comes in super-high-gloss, semi-gloss and satin sheens.

petripaints.com

SEE OUR
AD ON
PAGE 2

PoloPlaz

Polo 1K is a single-component waterborne finish. The formula is non-ambering, clear and low-VOC. Polo 1K's rapid-cure technology allows for the floors to be returned to service the very next day, the company says. It is available in gloss, semi-gloss, satin and matte sheens.

poloplaz.com

SEE OUR
AD ON
PAGE 15

Precision Technology—Absolute Coatings Group

Swedish Finish for Pros is a two-component, acid-cured wood floor finish that has scuff-, scratch- and chemical-resistance. Zenith Polyurethane is a premium oil-modified, high-build, clear finish that is easy to apply and dries to a scratch-and-scuff-proof finish, the company says. The products are available in high-gloss, semi-gloss, satin and matte sheens.

pretechfinishes.com



Professional Coatings Inc.

ProCoat UnoCoat is a urethane-modified hardwax "uroil" that colors and protects wood in a single coat, the company says. It is designed for durability, water-resistance and fast curing once cross-linked.

procoatinc.com



Rubio Monocoat

Rubio Monocoat Oil Plus 2C is a hardwax oil that protects and colors wood in one single coat. It contains 0% VOC, is available in more than 50 colors and has great wear and liquid resistance, the company says. Its spread rate is 300-500 square feet per liter.

rubiomonocoat.com

SEE OUR
AD ON
PAGE 15



Sampson Coatings—Absolute Coatings Group

Sampson Craftsman's Choice Professional Floor Finish is a durable clear coating recommended for interior residential or commercial floors, paneling, cabinets, doors, trim and furniture. It has excellent durability and chemical resistance, and is available in high gloss, satin, semi-gloss and matte finishes, the company says.

sampsoncoatings.com



Vermeister SpA

Ezy is a two-component, double cross-linking waterborne finish that maintains the natural look of wood due to its transparency. The product features excellent coverage and flow, the company says, and can be applied in two coats. Used without the hardener, Ezy can be a one-component finish.

vermeister.com

UV Green Cure

UV Green Cure's zero-VOC waterborne finish features industrial durability, a low odor and chemical and stain resistance, the company says. It is available in high-gloss, semi-gloss and satin sheens.

uvgreencure.com





Vesting LED USA

Vesting LED-HardWax Oil contains a mix of oils, waxes, resins, and additives. Because of this, the oil cures and hardens in a split second when it comes into contact with LED-light. When finished, the wood surface is resilient and protected against dirt and moisture, the company says. vestingled.com

Waterlox Coatings Corporation

Waterlox wood finishes are easy to apply, maintain and restore, the company says. They are designed to penetrate deep into wood fibers to lock out water and enhance wood grain. waterlox.com



WOCA USA

The 1K oil with the 2K performance is a greener floor oil with durability and minimal waste, the company says. The finished surface dries quickly and can be walked on after 12 hours. It becomes water repellent within five days, the company adds. wocausa.com



Solid and engineered flooring in over 20 species with widths up to 11" and lengths up to 16'.



HIGH QUALITY WOOD FLOORING

ENGINEERED FLOORING IS OFFERED
IN 3/4" WITH A 5MM WEAR LAYER
AND 5/8" WITH A 4MM WEAR LAYER.



5879 W. US HWY 421, WILKESBORO, NC 28697 | APPALACHIANLUMBER.NET

CALL US FOR A QUOTE: 1.888.910.WOOD

