


See some of the latest machines available for the manufacture of wood flooring.

SEE OUR
AD ON
PAGE 65



Akhurst Machinery Inc.

The Marinus Powermax from Akhurst is a high-speed, end-matching and defect cut-off saw designed for wood flooring or paneling material up to 12¼ inches wide. The Powermax's advanced servo system allows for superior throughput capacity, the company says.

amimachinery.com



Eagle Machinery & Supply Inc.

The EagleEye Talon Vision Saw brings two-sided WoodEye Scanning and the Eagle Talon 3000 High Speed Crosscut Saw together into a compact, tightly integrated package, the company says. It eliminates transitions and maintains complete control of the material throughout the scanning and crosscutting process and is ideal for processing low-grade material at high speeds, the company adds.


eaglemachines.com

SEE OUR
AD ON
PAGE 61

Hasko Inc.

The Hasko HSSM series features machines for solid and engineered wood flooring. The HSSM SideMaster provides side matching for sawn-face engineered wood flooring and plan-to-zero systems. The HSSM Splitter produces sawn veneer faces up to 8 inches wide.

haskomachines.com



EBI Electric

The EBI Hardwood Flooring Scanners detect defects and optimize hardwood flooring production according to each manufacturer's grading recipe. EBI scanners are user-friendly and allow any trained mill employee to operate them easily, the company says.

ebielelectric.com



SEE OUR
AD ON
PAGE 22

Lico Machinery Inc.

Lico specializes in the design and manufacturing of sawmill and flooring equipment ranging from standalone machines to complete solutions. Lico offers a wide range of ripping solutions for the mid-range production up to the most demanding requirements, the company says. A single system can be designed to produce from 20,000 board feet to 90,000 board feet (4/4) per shift with ripping yields up to 93 percent, Lico says.

licoinc.net



Miltec UV

The Miltec UV Gloss Control UV Technology enables manufacturers to achieve an extremely wide gloss range using a single UV coating, the company says. Low, medium, and high gloss levels are attainable, with repeatable results with fewer UV lamps resulting in lower operating costs, the company adds.

miltec.com

Ogden Group

The PUR Continuous Roll Feed press is a fast and efficient method for laminating the top veneer wear layer to the plywood substrate using PUR adhesives, the company says. The heavy-duty designed press can be equipped with an automatic in-feed which places the random-length veneer on top of the plywood.
ogden-group.com

SEE OUR
AD ON
PAGE 30



Soest Machinery

The Soest brush sander is available with different sanding brush combinations. It is designed so all brushes can be adjusted in the direction of rotation and speed in order to obtain an optimum result. The machine also has a quick change system to be able to change the brushes within a few minutes, the company says.
soestbv.com



Stanza Machinery

The Stanza Simple Spray 300 is designed for spray coating flooring, moldings, trim and more. It is capable of utilizing both waterborne and solvent-based coatings, including reactive stains, oils, paints, lacquers, prime and more. The machine can accommodate an array of spray gun packages for peak performance, the company says.
stanzamachinery.com



Hasko



**HEAVY-BUILT PERFORMANCE
INNOVATIVE SOLUTIONS**



SERVING THE FLOORING, MOULDING AND WOODWORKING INDUSTRIES SINCE 1930

www.haskomachines.com



Superfici America Inc.

The Mini is an automatic plug and spray machine that is available in a compact, efficient cabin, the company says. It has a working width of 51 $\frac{3}{8}$ inches, a working height of 35 $\frac{7}{8}$ inches and a maximum workpiece thickness of 3 $\frac{1}{2}$ inches. It works plug-and-spray or stand-alone and is competitively priced, the company adds.
superficiamerica.com



Woodtech

Woodtech offers a range of UV finishing machines, including the UV Light Dryer available in 24-, 36- and 51-inch widths with a workpiece thickness of 2–80 mm. It has a working height of 80 mm, automatic exhaust fans and is available in two-, three- or four-light configurations.
woodtechmachines.com



SEE OUR
 AD ON
 PAGE 69

Wintersteiger Inc.

Wintersteiger offers precision Thin-Cutting Band Saws in many configurations. They feature cutting options for hardwoods up to 26 inches wide with +/- 0.006-inch tolerance, 0.043-inch cutting kerf, and a surface quality ready for glue.
wintersteiger.com



ENTER TODAY
WF DESIGN AWARDS
 BUSINESS
wfbmag.co/wfbdesign21