

ADHESIVES



Advanced Adhesive Technologies LLC

AAT-560 Professional Urethane Wood Flooring Adhesive contains no isocyanates, a chemical that can etch floor finishes, the company says. When used with the company's #12 clip-on blade, 560 provides unlimited moisture protection, the company adds. AAT-560 is EC-1 certified and qualifies for LEED credits.

aatglue.com

Cal-Flor Accessory Systems

Cal-Flor's Eurobond D3 Glue for floating floors is FloorScore-certified. It uses an American-made, high-strength, cross-linking formula that provides flexibility and a stronger, longer-lasting bond, the company says, adding that it exceeds European D3 and US Type II standards. It is effective against water damage and is specially formulated for click and tongue-and-groove floors.

cal-flor.com



Bona US

Bona R850T silane-based wood floor adhesive sausages can replace top-nailing on close-out rows, board replacements, stairs, risers, and trim applications, the company says. They can be used for nail and glue assist installations, are easy to clean off prefinished floors, and will leave no wasted product, Bona adds. They are Greenguard Gold-certified for indoor air quality.

bona.com/en-US/Bona-Professional/



SEE OUR AD ON PAGES 9, 33

WFB PREMIUM PARTNER

SEE OUR AD ON PAGE 21



Bostik

Bostik's Pro-MSP 20-ounce sausage packs offer reduced waste footprint, more coverage per individual container and are installer-friendly, the company says. For glue-assist applications, each 20-fluid-ounce sausage will cover approximately 60 linear feet at a 1/4-inch bead. They are ideal for wide-plank floor installations and easy to clean, the company adds.

bostik.com/us

SEE OUR AD ON PAGE 31



DriTac Flooring Products LLC

DriTac 7700 Easy Clean is a premium grade, "green" sound and moisture control MS polymer wood flooring adhesive that cleans up easily off the surface of hardwood flooring when wet or dry, the company says. It is available in 4-gallon pails, 20-ounce sausages, and 28-ounce cartridges and is recommended for residential and commercial applications.

dritac.com



Epic Flooring

Epic Flooring has developed two low-VOC polyurethane adhesives for solid plank, bamboo and engineered flooring. Tradesman Pro is a solvent-free adhesive with high elasticity for easy spreading and excellent green-grab, the company says, while E-600 is an all-in-one adhesive and moisture retarder capable of adhesion to concrete substrates with up to 90% RH.

epicflooringadhesives.com

SEE OUR
COVER
TREATMENT
AD



Loba-Wakol

Wakol MS 262 Wood Flooring Adhesive is a firm-flexible one-component adhesive available in a 20-ounce sausage bag, 1-gallon sausage bag or 3-gallon bucket for the interior installation of end-matched solid and engineered wood flooring.

loba-wakol.com



MAPEI

Ultrabond ECO 977 is a fast-setting, 100-percent-solids, one-component, moisture-cured urethane adhesive specifically designed for the installation of domestic solid and engineered wood flooring. It can be used in elevated subfloor moisture conditions of up to 12 lbs. MVER and 95% RH when a specific installation method and trowel notch configurations are used, the company says.

mapei.com



National Hardwood Flooring & Moulding

Castle Adhesive CX-5000 is a hybrid urethane moisture curing wood flooring adhesive with low VOC and low odor. The one-component product's elasticity elongates to cover small cracks and produces cushioned quiet floors with superior acoustic properties, the company says.

nationalhardwood.com

Moisture Meters you can count on.



Reliable - Accurate - Easy-to-Use
Your best choice for floors:

◀ Ligno-DuoTec BW:
dual-depth Scan Meter
Thermo-Hygrometer

▶ mini-Ligno DX/C
Pin Meter with
Depth Electrode E12

Call 800-227-2105
www.Lignomat.com

Lignomat





Pallmann

Pallmann P5 is a solvent- and water-free, flexible one-component, moisture-cured STP (silane terminated prepolymer) hybrid adhesive that combines the powerful flexibility of a polyurethane adhesive with the advantages of modern modified-silane technology, the company says.

pallmann.us



Roberts Consolidated Inc.

Roberts' 1660 Lockdown with Moisture Control is a pressure-sensitive wood flooring adhesive formulated to reduce hollow spots. It cures with a persistent and permanent bond, allowing it to continuously "lock down" the flooring, the company says.

robertsconsolidated.com



Sika Corporation

SikaBond-T21 is an all-in-one wood flooring urethane adhesive, moisture vapor and sound-reduction membrane. It does not require pre-job calcium chloride or RH testing; the only requirement is visibly dry and clean concrete. It may be used for solid and engineered wood floors, chip boards and plywood.

usa.sika.com

SEE OUR AD ON PAGES 5, 35

WFB PREMIUM PARTNER

Stauf USA LLC

Stauf PUK 455 is a special-formulation, single-component adhesive for wide-plank flooring. PUK 455 has a shear strength of over 680 psi, meaning it is able to stabilize and control common cupping problems associated with wide-width solid flooring, the company says.

staufusa.com



Vermeister SpA

Zeromono is a one-component, silane-terminated high-performance adhesive that contains no water, solvents, isocyanates, epoxy, amino compounds or heavy metals and does not bear any health warnings, the company says. It offers excellent adhesion on all subfloors, as well as permanent elasticity, the company adds, making it ideal for laying prefinished engineered wood flooring and traditional solid wood floors of average sizes on any type of subfloor.

vermeister.com



Titebond

Titebond's packaging simplifies the adhesive handling process for flooring installers, the company says. The 3/4-gallon foil pouch is easy to open and handle. It also reduces mess and waste, speeds up installation and extends adhesive shelf life, the company adds. The packaging is available with Titebond 811 Advantage and Titebond 771-Step.

titebond.com

SEE OUR
AD ON
PAGES
9, 33

WFB
PREMIUM
PARTNER



Bona US

The Bona Microfiber Roller is designed for easy, uniform application of waterborne finishes. Both the roller cover and the roller handle can be purchased separately.

bona.com/en-US/Bona-Professional/

SEE OUR
COVER
TREATMENT
AD



Loba-Wakol

The Wakol Applicator 90 is a battery-operated applicator for dispensing Wakol one-gallon tubular bag adhesives from a standing position. It includes a 7¾-inch (200-mm) distributor head for mounting Wakol Replaceable Nozzles, a quick-charger and two 18-volt rechargeable batteries, including a stand.

loba-wakol.com

SEE OUR
AD ON
PAGES
7, 39

WFB
PREMIUM
PARTNER



Norton Abrasives

Norton Abrasives' floor finish applicators were created with the professional contractor in mind; the company offers four options. The applicators are designed to quickly and easily apply floor finish or sealer and provide superior results, the company says.

nortonsga.us/applicatorswfb

SEE OUR
AD ON
PAGES
3, 47

WFB
PREMIUM
PARTNER



Woodwise/Design Hardwood Products

The Woodwise Nap Saver suspends an applicator pad inside a polycarbonate housing so the nap doesn't get crushed. Since the nap never touches the sides, it keeps the applicator pads like new so they can be used again and again without compromising quality, Woodwise says.

woodwise.com



Padco

Padco finish applicators are for applying waterborne, solvent-modified and UV coatings. Cover materials include Nylfoam, NanoFlock and Woven. The lightweight and heavyweight T-bar applicators are available 12–30 inches wide. Trays, trim pads and extension poles are also available.

padco.com

SEE OUR
AD ON
PAGES
9, 33

WFB
PREMIUM
PARTNER



Bona US

Bona Pacific Filler is a ready-to-use waterborne compound designed for filling cracks, holes, chips, gouges, and broken edges prior to finishing. It features a new color-matched strip on the label designed to make finding the correct color easier, the company says. It is available in six wood tones: red oak, white oak, ash-maple-pine, Brazilian cherry, American cherry and walnut.

bona.com/en-US/Bona-Professional/



DuraSeal

DuraSeal Trowelable Wood Filler is a safe, non-flammable, water-based product for use across an entire wood floor. This product fills nail holes and covers other minor imperfections in bare and unfinished wood. It has a fast dry time, blends and adheres well to wood, sands easily and absorbs stain similarly to wood, the company says.

duraseal.com



Glitsa

Glitsa Wood Flour Cement provides an exact match between the filler and the flooring, the company says. It uses actual sanding dust from the same species of wood as the floor and will take on the color of the sanding dust used. Wood Flour Cement accepts stain and ages consistently with the flooring since the actual sanding dust is used.

glitsa.com



Gork's Goodfilla

Gork's Goodfilla water-based trowel-ready wood filler is easy to spread and eliminates the problem of the water getting sucked out quickly, the company says. It allows a longer open time and holds on to the water longer. It is ideal for grain-filling and covering large areas with a squeegee/trowel on hardwood floors.

goodfilla.com

SEE OUR
COVER
TREATMENT
AD



Loba-Wakol LLC

Loba EasyFillPro Waterborne Filler provides maximum filling power with one application. Its easy-to-use system, quick dry time and excellent sandability combine for the best results, the company says.

loba-wakol.com



Pallmann

Pall-X Kitt is a water-based joint filler compound that is mixed with sanding dust and used for joint- and trowel-filling of wood floors. It is suitable for strip, plank and parquet flooring for all species where color matching is important and where filler stability and adhesion are vital, Pallmann says. Pall-X Kitt's viscous, paste-like mixture is rated for radiant heat floor systems.

pallmann.com



Pretec USA LLC

Precision Full Trowel & Wood Patch is formulated to dry quickly, accept stain and can be sanded within 30 to 60 minutes of application, the company says. It is available in red oak, white oak, maple, Brazilian cherry and ebony and comes in 1- and 3½-gallon sizes.

pretecusa.com



Timbermate Group

Timbermate is an interior-grade, water-based wood filler. It contains no toxins or VOCs, the company says, adding that it has an indefinite shelf life and can be reconstituted with water if it dries out. It comes in 13 premixed colors plus Natural Tint Base and is sold in 8-ounce, quart, gallon and 2.5-gallon sizes.

timbermategroup.com

SEE OUR
AD ON
PAGES
3, 47

WFB
PREMIUM
PARTNER



Woodwise/Design Hardwood Products

Woodwise/Design Hardwood Products says it is continuing its research and development efforts to keep up with the wood flooring industry, and its wood fillers have been formulated to meet the demands of wood flooring experts. Its line of wood fillers includes: Woodwise Full-Trowel Filler, Wood Patch, No Shrink Patch-Quick, Powdered Wood Filler, Pre-Finish Filler and Epoxy Wood Patch.

woodwise.com



Vermeister SpA

Zero Filler is a solvent-free waterborne binder for preparing fillers to seal wood floors. It features low VOC emissions, both when the product is applied and when the floor is in use. When mixed with wood flour generated by sanding with a fine-grain sandpaper, Zero Filler creates a filler that matches the floor color.

vermeister.com

SEE OUR
AD ON
PAGES
2, 43

WFB
PREMIUM
PARTNER



Absolute Coatings

Absco Grand Nxtgen Wood Floor Finish features innovative resins that deliver the appearance and durability of an oil finish, and application tracking technology for ease of application. It is VOC-compliant nationally and provides enhanced leveling, increased scuff-resistance, excellent build/coverage, and low odor, the company says.
absolutecoatings.com

WFB
PREMIUM
PARTNER



American Sanders

American Sanders TimberGuard line of water-based wood floor coatings offer superior 1K and 2K coatings with applications for residential, commercial and high-traffic conditions, the company says. All TimberGuard coatings include AMP AntiMicrobial Protection that inhibits the growth of bacteria on the floor surface for the usable life of the coating.
americansanders.com



Advantage Coatings Tech

Top Knot waterborne finish is a durable, scratch-resistant two-component wood floor coating, the company says. It is designed for commercial applications, new construction and high-traffic residential projects and dries quickly, the company adds.
advantagecoatingstech.com



Arboritex

GenuineNaked is a two-component ceramic-fortified waterborne finish. Naked is a full-matte finish that helps preserve the color and beauty of wood floors while offering invisible protection, the company says. It has a fast dry time, short cure time and durability and is suited for commercial use, residential use or any high-traffic areas.
arboritex.com



ATOM Ventures LLC

Gork's GoodFilla Stain and Paint Base gel has an unlimited open time and limits lap marks. It accepts any water-soluble pigments or dyes to create custom colors, adheres to most surfaces and can be applied between coats of finish, the company says.
goodfilla.com



Basic Coatings

Basic Coatings StreetShoe NXT is a two-component, water-based finish that features nano technology for durability, UV inhibitors to minimize sun-related color change and a high-build formulation. StreetShoe NXT comes in gloss, semi-gloss, super matte and satin sheens.
basiccoatings.com

SEE OUR
AD ON
PAGES
9, 33

WFB
PREMIUM
PARTNER



Bona US

Bona Mega ONE is a durable, one-component, crystal-clear finish with high build, the company says, adding that it has excellent abrasability, is Greenguard-certified, and is fully cured in five days.

bona.com/en-US/Bona-Professional/

Ciranova North America

Hardwaxoil Titan is an innovative, fast-drying oil suitable for finishing wood floors, the company says. Featuring high chemical and mechanical protection,



the oil provides an exceptional natural-looking and scratch-resistant finish, the company adds.

ciranova-na.com



DuraSeal

DuraClear Max is a durable two-component, non-ambering water-based finish. It is formulated for use in commercial and high-traffic areas, with exceptional flow and leveling, the company says. DuraClear Max is Greenguard-certified and available in flat, satin, semi-gloss and gloss.

duraseal.com



Create Stairs That Captivate

In addition to a wide selection of stock stair parts, we can custom create just about anything you design. Let your creativity soar, and let's make something beautiful together.

- Stair treads
- Balusters
- Risers
- Landing tread
- Handrail
- Starting steps
- Newels
- Over-sized options

Call Us For A Quote
1.888.910.WOOD



5879 W US Hwy 421, Wilkesboro, NC 28697 | AppalachianLumber.net





Glitsa

Infinity NxG is the next generation of Infinity II finish. It is a single-component, 100% urethane finish that has excellent flow and level and great sandability that make it easy to use, the company says. It is LEED 4 compliant and available in gloss, semi-gloss, satin and matte sheens. glitsa.com



Lenmar

Lenmar's oil-modified, self-leveling polyurethane is recommended for commercial, residential and gymnasium applications. The product features excellent durability and resistance to household chemicals, marring and scratching, the company says. lenmar-coatings.com



Osmo USA

Osmo says its Osmo Polyx-Oil Original is the original hardwax oil and enhances the wood color and grain. Its oils protect the wood from the inside while its waxes form a wear-resistant surface. The finish will not crack, peel or flake, and it has improved brushability and is easy to apply, the company adds. No primer or sanding is required, and spot repairs are possible. It is available in satin and matte. osmocolorusa.com



Pallmann

Pallmann Pall-X Power is a clear waterborne finish for commercial or residential applications. Advances in resin and polymer chemistry have been designed into the finish to give it the power of a two-component finish with the ease of use of a single-component product, the company says. pallmann.us



SEE OUR COVER TREATMENT AD

Loba-Wakol

Loba 2K InvisibleProtect A.T. is a two-component water-based thin film coating for hardwood floors. In addition to being invisible, it also feels like untreated wood, the company says. The latest generation of raw materials guarantees that the floor will be long-lasting and will not be polished up even under heavy wear, Loba adds. loba-wakol.com

SEE OUR AD ON PAGE 2, 43
WFB PREMIUM PARTNER



PoloPlaz

Polo 1K is a single-component waterborne finish. The formula is non-ambering, clear and low-VOC. Polo 1K's rapid-cure technology allows for the floors to be returned to service the next day, the company says. It is available in gloss, semi-gloss, satin and matte sheens. poloplaz.com



Professional Coatings Inc.

ProCoat Paragon is the next generation of protective one-component waterborne wood finishes, the company says. It is an NMP-free, self-crosslinking, non-yellowing polyester polyurethane dispersion. It is ideal for green building and is a high-performance product with long lasting results, the company adds. procoatinc.com



Rubio Monocoat

Rubio Monocoat Oil Plus 2C is a hardwax oil that protects and colors wood in one single coat. It contains 0% VOC, is available in more than 50 colors and has great wear and liquid resistance, the company says. Its spread rate is 300–500 square feet per liter. rubiomonocoat.com



UV Green Cure

UV Green Cure's zero-VOC waterborne finish features industrial durability, a low odor and chemical and stain resistance, the company says. It is available in high-gloss, semi-gloss and satin sheens. uvgreencure.com



Vermeister Spa

Ezy is a two-component, double cross-linking waterborne finish that maintains the natural look of wood due to its transparency. The product features excellent coverage and flow, the company says, and can be applied in two coats. Used without the hardener, Ezy can be a one-component finish. vermeister.com



Vesting LED USA

Vesting LED-HardWax Oil contains a mix of oils, waxes, resins, and additives. Because of this, the oil cures and hardens in a split second when it comes into contact with LED-light. When finished, the wood surface is resilient and protected against dirt and moisture, the company says. vestingled.com



Waterlox Coatings Corporation

Waterlox wood sealers, stains and finishes are easy-to-use products designed to enhance the natural beauty of wood and penetrate deep into wood fibers to lock out water and provide durable protection, the company says. waterlox.com



WOCA USA

The 1K oil with the 2K performance is a "greener" floor oil with durability and minimal waste, the company says. The finished surface dries quickly and can be walked on after 12 hours. It becomes water-repellent within five days, the company adds. wocausa.com